

ATM PT ASIA TALENTA MANDIRI

Metal Working Chemical Specialist

PT Asia Talenta Mandiri more than a decade as professional industrial supplier for lubricant and grease. Was founded in December 17th, 1999. PT Asia Talenta Mandiri have been specialized in metal working industry and stock up multiple product range line up with after sales services to support the customer expectation.

Distributor Of:



Nippon Grease Products :
Industrial Grease
Rust Preventive Oil
Neat Cutting Oil
Water Soluble & Grinding Coolant
Press & Punching Oil
Quenching Oil



Likan Products :
Washing Agent
Machining Agent
Water Base Anti Rust Agent
Polishing Agent
Cooling Tower Chemicals
WWT Chemical
Floor Clean Agent
Rust Remover Agent



Fumio Lube Products :
Industrial Grease
Hydrocarbon Cleaner
Quenching Oil
Maintenance Oil

Palace Chemical Products :
Punching Oil (Easy Dry)
Punching Oil (Oil Type)
Special Oil



Prima Polytech Product :
Forging Oil

Musashi Techno Chemical :
Hydrocarbon Cleaner

Bansei Product :
Carbon Killer

Head Office: Golden Boulevard Blok F2-42, Jl. Pahlawan Seribu, BSD, Jelupang – Serpong
Telp. +62 (0) 21 – 538 - 6638 Fax. +62 (0) 21 – 538 - 8663
email: sales@asiatalenta.co.id
web : www.asiatalenta.co.id

Sales Office: CBD @ Jababeka F-21, Jl. Niaga Raya Kav 3 A, Jababeka
Telp. +62 (0) 21 2908 2716 Fax. +62 (0) 21 2908 2803
email: sales_cbd@asiatalenta.co.id
web : www.asiatalenta.co.id



PT ASIA TALENTA MANDIRI
Metal Working Chemical Specialist



Service To Enhance Your Maintenance



Operating Maintenance - Service by Experienced and Graduated Chemist Teams

Service Of Your Equipment:

Cleaning of Quenching Oil Tank

Cleaning of Alkali Washing Machine

Scale Up of Machine Tool Cutting Oil System

Service of Equipment Hydraulic Oil

We Help You Clean Your Equipments

Contact us:

(+62-21) 2908 2716

service@asiatalenta.co.id

Head Office

Golden Boulevard F2-42

Jl Pahlawan Seribu, Bumi Serpong Damai

Tangerang Indonesia 15323

Phone : (+62-21) 538 6638

Fax : (+62-21) 538 8663

Email : sales@asiatalenta.co.id

Sales Office

CBD @ Jababeka F-21

Jl Niaga Raya Kav AA3, Cikarang, Bekasi

Jawa Barat Indonesia 17530

Phone : (+62-21) 2908 2716

Fax : (+62-21) 2908 2803

Email : sales_cbd@asiatalenta.co.id

Fumio Lube

YOUR LUBRICANT SOLUTION

MAINTENANCE OIL

STAMPING OIL

HEAT TREATMENT OIL

MACHINING OIL

GREASES

Exclusive Distributor :

PT. Asia Talenta Mandiri

Head Office

Golden Boulevard F2-42 Jl. Pahlawan Seribu Bumi Serpong Damai Tangerang 15323 - Indonesia

Tel : +62-21-5386638 Fax : +62-21-5388663, 5388133

E-mail : sales@asiatalenta.co.id

Branch Office

CBD @jababeka Blok F-21 Jl. Niaga Raya Kav. AA3 Jababeka, Cikarang, Bekasi Jawa Barat 17530

Tel : +62-21-2908 2716 Fax : +62-21-2908 2803



FUMIO LUBE : HYDRAULIC OIL

APPLICATION AND DESCRIPTION

- Preferred oil for high speed and high pressure pumps requiring anti-wear properties.
- Premium anti-wear hydraulic fluid for industrial applications, such as off-road machine, marine, mineral machine, moving machine, agriculture machine, plastic injection machine.
- Formulated with premium quality grade II base oils, rust and oxidation inhibitors, antifoam additive, an effective anti-wear additive, and a demulsifier.
- Industrial & Mobile applications for vane and piston pumps under standard or severe operations of 140 kg/cm² to 210 kg/cm².
- Suitable for machine tool lubrications.



OUR PRODUCTS :

Products Name	Color ASTM	Density@20 °C Kg/L	Viscosity@40 °C cSt	Viscosity@100 °C cSt	Application
FL Hydro 2	L 0.5	0,811	2	1	High speed Spindle oil
FL Hydro 5	L 0.5	0,836	5	1,5	High speed Spindle oil
FL Hydro 10	L 0.5	0,85	10	2,6	High speed Spindle oil
FL Hydro AW 32	L 0.5	0,858	32	5,6	Hydraulic oil low viscosity
FL Hydro AW 46	L 0.5	0,856	46	7	Hydraulic oil medium viscosity
FL Hydro AW 68	L 0.5	0,871	68	8,5	Hydraulic oil, mechanic oil
FL Hydro AW 100	L1.0	0,884	101	11	Hydraulic oil, mechanic oil, gear oil.
FL Hydrofluid G 46 (Synthetic Water Polymer Type)	Red	1,08	44,5	.	Hydraulic water glicol base.

ANDA PUNYA MASALAH DENGAN PELUMAS?

- **TIMBUL BAU**
- **BERBUSA**
- **KARAT**
- **KOROSI**
- **GATAL**
- **HASIL POTONG JELEK /KURANG MEMUASKAN**

- **GREASES**
- **RUST PREVENTIVE OILS**
- **CUTTING & GRINDING OILS**



NIPPON GREASE Lubricant

Authorized Distributor :

PT. ASIA TALENTA MANDIRI

Head Office

Golden Boulevard F2-42 Jl. Pahlawan Seribu Bumi Serpong Damai Tangerang 15323 - Indonesia

Tel : +62-21-5386638 Fax : +62-21-5388663, 5388133

E-mail : sales@asiatalenta.co.id



Branch Office

CBD @jababeka Blok F-21 Jl. Niaga Raya Kav. AA3 Jababeka, Cikarang, Bekasi Jawa Barat 17530

Tel : +62-21-2908 2716 Fax : +62-21-2908 2803



Lubricating Greases

Greases for instrument and equipment, which realizes a longer operating life and maintenance free, are not merely used for lubrication of automobiles and industrial/construction machinery, but it serves now as important as an indispensable part for each precision instrument applied on.

Use : For lubrication of automobile/vehicle, various kind of bearing industrial/construction machinery, rolling mill, etc.



Rust Preventive Oils

Rust preventive oils are used as surface protection for metals, parts, and products, in order not to rust. Selecting proper rust preventive oil for any purpose and application, and complete rust prevention control enable you not only to enhance product quality, but also to reduce unnecessary loss and cost.

Use : Finishing rustproofing, long/medium/short-term rustproofing, temporary rust proofing between processes, lubricative rustproofing, removing fingerprints, etc.



Heat Treating Oils

Heat treating oils are designed to meet the mechanical performance requirements needed to produce high-quality metallic materials, when heating and cooling these materials under special condition. These are normally mineral oil-based, used in quenching and tempering.

Use : Hot bath quenching, bright quenching, vacuum carburizing and quenching, induction hardening, etc





LIKAN CO.,LTD.
บริษัท ลิ坎 จำกัด



CHEMICAL
Washing Machines Product



Powder Type



Liquid Type

Polishing Agents : FC Compound

Likan FC Compound are polishing chemicals for steel, copper and aluminium, display an effect of degreasing and deburly



BEFORE



AFTER

FEATURES :

- Used for cleaning, deburring and making glossy.
- Prevent rust or corrosion of parts during finishing and separating operation.
- Reduce the time of barrel to increase the production quality.



BEFORE



AFTER

LIKAN PRODUCTS

CLEANNESS, SAFETY AND ENVIRONMENTAL FRIENDLY



WASHING AGENTS :
CLEAN SUPER

SERVICES & MACHINES

ANTI - RUST AGENTS :
RUSKAN

OTHER PRODUCTS :
MIRACLOTH

POLISHING AGENTS :
FC COMPOUND



SPRAY PRODUCTS

MACHINING AGENTS :
PANACOOL



WASTE WATER TREATMENT
CHEMICALS :
WATER CLEAN



AUTHORIZED DISTRIBUTOR:
PT. Asia Talenta Mandiri

Golden Boulevard F2-42,
Jl. Pahlawan Seribu Bumi Serpong Damai,
Tangerang 15323 - Indonesia
Tel : (62-21) 538 6638
Fax : (62-21) 538 8663, (62-21) 538 8133
e-mail : sales@asiatalenta.co.id





PALACE CHEMICAL CO., Ltd.

PUNCHING OIL



HYDROCARBON CLEANER :



Degreasing detergent MD series MD-100 MD-200 is a degreasing detergent composed of a single substance with normal paraffin of 99% or more. It has high mutual solubility with oil processing oil and excellent detergency. It has a very narrow boiling range and is excellent in dryness and distillation regeneration. Normal paraffin has excellent thermal stability and oxidation deterioration resistance. Therefore, it is resistant to repeated distillation regeneration, realizes low running cost, and is also a gentle cleaner for materials that are less concerned about metal corrosion.

FEATURES :

Oil degreasing cleaning, water-soluble degreasing cleaning, abrasive removal etc . of various metal parts such as press working, cutting processing, drawing processing



**BANSEI CHEMICAL
HEAVY INDUSTRY.,LTD**

PREVENT CARBURIZING AGENTS



Water solubility Prevent carburizing agent (Carbon-Killer No.3)



Prevent carburizing agent (Carbon-Killer No.2(solvent type))



Water solubility Prevent carburizing agent (Carbon-Killer No.4)



LUBE FORGE

HOT/WARM FORGING, COLD FORGING & EXTRUSION LUBRICANT

Prima Polytech Co., Ltd. emphasized on manufacturing high quality product with advance technology and Machinery

- . Our Capacity of over 8,000 metric tons per annual to cover all of our customers requirements & future expansion of their businesses.
- . Our technical team are working closely with our clients & suppliers are partners to research & development new products.



LUBE FORGE products are water-based/oil-based graphite lubricants and water-based/oil based non-graphite lubricants which very useful product for tough forgings. These forging lubricants are invented for improving die life and surface finish. The non-graphite lubricants are nonpolluting, and have no heavy metal products.



**Forging Lubricant - Graphite Type
- Lube Forge 130 Series**

**Forging Lubricant - Non Graphite Type
- Lube Forge 200 Series**