

Your Partner in Industri

Authorized Distributor



BALDOR



FALK



THOMAS



PT. SARANA TEKNIK

Head Office:

Komplek Perkantoran Sunter Permai Blok B. 11
Jl. Danau Sunter Utara Kav. K-2 Sunter Agung, Jakarta 114350 - Indonesia
Telp. (021) 651 9582 (Hunting) Fax. (021) 6530 5868, 6400893, Fax Toll Free: 0800-1-666-777
Email: saranateknik@cbn.net.id | saranagroup@cbn.net.id | Website: www.sarana-teknik.com

Branch Office:

- * SIMPRUG PLAZA Blok A2 No. 11 JABABEKA 2 Cikarang - Bekasi
Telp. (021) 8932 4575 / 8932 4587, Fax. (021) 8932 4530 | Email: sarana_cikarang@cbn.net.id
- * Ruko Sentra Tropodo Blok C7, Jl. Raya Tropodo No. 115 Waru, Sidoarjo, Surabaya, Jawa Timur 61256 - Indonesia
Telp. (031) 8685823-24 Fax. (031) 868 5825 | Email: sarana_surabaya@cbn.net.id
- * Jl. Wonodi Sendang Raya No. 15A, Semarang 50242
Telp. (024) 356 6377 (Hunting), (024) 9103 2835 Fax. (024) 356 9019 | Email: sarana_smg@cbn.net.id



TSUBAKI
(JAPAN)

Roller Chain ANSI - BS Standard

CONVEYOR CHAIN



HEAVY DUTY
ROLLER CHAIN

RE CHAIN

TSUBAKI
KABELSCHLEPP®
CABLEVEYOR



BACKSTOP


CAM CLUTCH



TORQUE LIMITER




CHAIN COUPLING



Straight

Parallel



POWER CYLINDER



AE SERIES
POWER LOCK

LOCKING BUSH
POWER LOCK




BACKSTOP BS, BS-R, BSEU





FEEDER BREAKER
CHAIN FOR MINING

TSUBAKI
Innovation in Motion


CONVEYOR CHAIN FOR PALM OIL MILL



ROLLER CHAIN



SPROCKET



REXNORD

PRECISION. POWER. PERFORMANCE.

FALK

Link-Belt®

Authorized Distributor :



Falk LiteLife Gear Couplings G 20



GEAR COUPLING WITH SPACER Falk Steelflex Grid Couplings



Steellex - Grid Vertical - T20 Falk Grid Only



Falk Wrapflex Coupling



DBZ



BEARING UNIT



TORQUE LIMITERS



STEELFLEX - GRID HALF-SPACER



STEELFLEX - GRID FULL-SPACER



DBZ-C

THOMAS



TOLOKTLK LOCKING DEVICES

Falk Quadrive Shaft Mounted Drive



FALK LTG GREASE



SERI : DBZ-A-B-C, SERI 52, 71, 63
AMR - CMR - BMR - SN




Series 71




Series 54RDG



Series 52



AMR



DBZ-B



DBZ-A

THOMAS - ADDAX




Thomas Falk Freedom Disc Couplings



Rexnord Addax Composite Cooling Tower Couplings



Falk Omnibox Worm Gear Drives



Falk A-Plus Parallel Shaft Gear Drives



Falk TRUE HOLD Low Speed Backstops




Right Hand Long's Lay Coupling




VIVA™ COUPLING



CENTA COUPLING



TYPE CFA



CFX

Link-Belt®

Oil-field chains to API specifications



British Standard Chains



Multiple-strand roller chain

DODGE



AUTHORIZED DISTRIBUTOR



SCM



TYPE E



TIT TORQUE-ARM
Shaft Mount Reducers



DODGE MAXUM



SNX Plummer Blocks



RAPTOR COUPLING



TORQUE-ARM II
Shaft Mount Reducers



MAGNAGEAR XTR



TYPE E-XTRA TAPERED
ROLLER BEARINGS



S-2000 MOUNTED SPHERICAL
ROLLER BEARINGS



STEELFLEX - GRID
HORIZONTAL-T10



GEAR
COUPLING



SUREFLEX TYPE J



SUREFLEX TYPE S



SUREFLEX TYPE H



Raptor Coupling



DISC COUPLING



GRID COUPLING



D-FLEX COUPLING

FLENDER

COUPLING

STRAN

SLEEVOIL® RTL Series
Hydrodynamic Pillow Block
Bearings

SLEEVOIL® R Series
Hydrodynamic
Pillow Block Bearings

PARAFLEX®



TIGEAR - 2 SPEED REDUCERS



NEUPEX TYPE B



NEUPEX TYPE A



NEUPEX
RUBER TYPE H

Made for Motion



Authorized Distributor



RUPEX COUPLING



ZAPEX
GEAR COUPLING



ZAPEX
GEAR COUPLING



OVERLOAD COUPLINGS
TORQUE LIMITERS



STOBL
LATITUDE



FLUDEX FLUID COUPLING



ARPEX
DISC COUPLING



ARPEX
DISC COUPLING



GEAR
COUPLING



ROFLEX
COUPLING



RADEX PARAFLEX
DISC COUPLING



ARPEX
ARS-6



RIGIFLEX DISC



ELPEX
COUPLING



ELPEX TYPE B
COUPLING



ROTEX COUPLING GR



BOWEX TYPE
M



BOWEX TENIOR

Fenner Drives®

Authorized Distributor :



POWERTWIST DRIVE

POWERTWIST

Fenner®

SMSR


- 13 size in the range.
- Four standard bore options
- Bore sizes range from 20mm to 190mm
- Torque capacity up to 45,000Nm
- Taper-Grip bush for easy removal and fitting
- Ratios up to 200:1 with a simple belt drive



TAPER LOCK
BUSHES



POWER LOCK



Fennerflex tire coupling
With spacer



HRC Coupling



FCL COUPLING




CHAIN
COUPLING



tireflex
coupling
pulley
Tension belt



Gear Coupling



PULLEY SPZ

PULLEY SPA

PULLEY SPB

PULLEY SPC

HTD TIMING PULLEY



Universal Joint



Synchronous Drives
HTD Belt



NU-TLINK
VARIETY




PowerTwist Plus



WESTCAR

FLUID COUPLING



type BETA with pulley



type ALFA with rotoflexi coupling

TRANSFLUID

Transmission Industrial

FLUID COUPLING



BT Coupling
BM Coun



Type KSD



Type KRG



PUMP



EBARA -
Centrifugal End
Suction Volume
Pump



SUBMERSIBLE PUMP



SDA Monebeck End Suction Pump, FS End Suction Volume Pump

FHA (DIN 24256)




Lowara 1HM Multistage
Pumps 230v - Lowara Pumps



centrifugal pump



Lowara FH 50 160/55/9
Centrifugal Pump 415V



AGENT:
**BLAGDON
PUMP**



type CEA



submersible
pump

Lowara 2SV Multistage
Pumps 400v - Lowara Pumps by



submersible pump



KOSHIN LTD.

Kyoto Japan.



GL SERIES
Gear Pump for Kerosene,
Heavy Oil, Lubrication Oil



GEAR PUMP GL SERIES

GB - GC SERIES
Gear Pump for Weak Acid,
Light Oil, Machine Oil



GEAR PUMP



GEAR PUMP



TYPE KCB



TYPE ZCY



TYPE YBC



TYPE KCB



TYPE LOCB
(ASPHALT PUMP)



series SK
self priming pump



series VU/VH
VACUUM PUMP



TOE GN SERIES
heat transfer pump



side channel pump
ROTOR®



END SUCTION CENTRIFUGAL PUMP



KDW HORIZONTAL
MULTI STAGE PUMP




ALFA LAVAL Sanitary Pump
Premium centrifugal pumps



MAGNETIC PUMP
TYPE COB



MAGNETIC PUMP
TYPE CXB



TYPE XA
KCC CHEMICAL PROCESS
CENTRIFUGAL PUMP



KDW HORIZONTAL
MULTI STAGE PUMP



LKHPE




LKH

GEAR MOTOR & REDUCER

Bonfiglioli
Italia



BRAKE MOTOR



WORM GEAR



BEVEL GEAR REDUCER



VARIATOR



ELECTRIC MOTOR



TYPE MAS / F



TYPE MVF



BAA7 MOUNTED BEVEL REDUCER TYPE TA




TYPE MAS / P



PLANETARY GEAR 2


TYPE RAN





GUOMAO



CANTONI
MOTOR



General Purpose 3-Phase Induction Motors
Elektirim




CHENTAI
GEAR

MOTOVARIO



TECO
General Purpose 3-Phase Induction Motors



TYPE H



TYPE NM/RV

TYPE MRC / PRC

D-MAXX

COUPLING

KOPFLEX • REXNORD • DODGE • FALK • LOVEJOY • THOMAS • TB WOOD'S • FLENDER • KTR
 SEISA • FENNER • CENTA • ESCO • SNS • FLEXOMAX • NORMEX • TSUBAKY
 NBK • RATHI • ADDAX • MITSUBOSHI • CITROEN CMD •

DODGE

FALK

KOP-FLEX



STEELFLEX - GRID
HORIZONTAL -110



FALK GRID ONLY




STEELFLEX - GRID
HALF-SPACER



STEELFLEX - GRID
FULL-SPACER



Gear coupling
type FAST seri H



STEELFLEX - GRID
VERTICAL -120



GEAR COUPLING
WITH SPACER



FALK WRAPFLEX



FALK WRAPFLEX COUPLING



joong ang JAC coupling



jaw coupling

Lovejoy

JAC TOYO



Ruber coupling



jawab coupling
type L type al



RUBER



RUBBER COUPLING TYPE RF & CA



SUREFLEX TYPE J



SUREFLEX TYPE E



SUREFLEX TYPE H



SUREFLEX TYPE L
(COMPLETE SET)



SUREFLEX WITH SPACER



SUREFLEX TYPE HS



SUREFLEX TYPE HS



DURAFLEX



type wes type we



BRIDGESTONE

WESTCAR

TRANSFLUID

FLUID COUPLING

FLUID COUPLING

FLUID COUPLING

FLUID COUPLING

FLUID COUPLING

FLUID COUPLING

FLUID COUPLING



Rotoflexi



type BETA with pulley



ROTOFLEXI



type KSD



type KRG



BRIDGESTONE Tire CA-120V



BRIDGESTONE Tire CA-120V



BRIDGESTONE Tire CA-120V



BRIDGESTONE Tire CA-120V



BRIDGESTONE Tire CA-120V



NEUPEX TYPE B



NEUPEX TYPE A



NEUPEX TYPE H



ZAPEX - ZWN



BWN



RUPEX RWN



FLENDER NEUPEX
RUBER ONLY



FLENDER RIGIFLEX DISC



FCL COUPLING FCL - WITH SPACER



FLEXIBLE SHAFT
COUPLING



BOLT-NUT-RUBBER
FCL




FLENDER RIGIFLEX DISC2

KTR



Ruber Rotex



ROTEX GR




BOWEX VUNIOR



BOWEX



GS COUPLING



RUBBER ROTEX

COUPLING

RAIHI

REXNORD



REX OMEGA
TYPE SNACER



VIVA coupling



REX OMEGA



AIDAX
COMPOSITE COUPLINGS



Jaw coupling
type L



Jaw coupling
type RRS



Jaw coupling
type SW



Rubber SW RRS



Type RRL



Series 71



Series 52



DBZ-C



DBZ-B



AMR

THOMAS

NORMEX



NORMEX TYPE E (NM)



TYPE G



type GI



type GII



type GG



GEAR COUPLING
TYPE GO

FlexoMax

MAINA

TSUBAKI



CHAIN COUPLING

R+W



TSCHAN VULKAN



GUARDEX



FLEXIBLE COUPLING
SFC



M-STYLE



RUBBER CENTAFLEX



TYPE CFA

CFA



CENTAMAXX-S

Fenner Martin



FENERFLEX
TIRE COUPLING PULLEY



GRID COUPLING




GEAR COUPLING


winflex CMD flexident



GEAR COUPLING TYPE FST



RUBBER MT



RUBBER MH



HYPERFLEX
TYPE MT-MH

Gesco

MITSUBOSHI

NBK



Jaw coupling


ELECTRIC MOTOR BALDOR

BALDOR
BALDOR • DOUGLASS • RELIANCE

AUTHORIZED DISTRIBUTOR :



GENERAL PURPOSE MOTOR



GENERAL PURPOSE MOTOR



DESIGN D OIL FIELD PUMP



C-FACE AND D-FLANGE



BRAKE MOTORS
1/4 HP TO 30-HP



BALDOR DC MOTOR
FRAME IEC




SINGLE PHASE



SEVERE DUTY MOTOR



EXPLOSION
PROOF MOTOR



GENERAL MOTOR
SUPER E

Authorized Distributor : **CONTROL SYSTEMS**



PENTA **KB POWER**
A Complete Line of Motor Drives

KBWM™

VARI-DRIVE

NEMA 1

SCR Variable Speed DC Motor Control
For Permanent Magnet (PM),
Shunt Wound Motors and
Magnetic Particle Clutches

Two Models Cover
1/100 - 1/3 HP @ 80 VDC
1/50 - 3/4 HP @ 180 VDC



KBCC-225

Chassis Mount
Variable Speed DC Motor Control
Shunt Wound and PM Motors
up to 3 hp



KBMD-240D

MULTIDRIVE®

Variable Speed DC Motor Control
For Shunt Wound and PM Motors
Patented Overload Circuit


1/100 - 1 hp @ 115 VAC - 50/60 Hz*

1/50 - 2 hp @ 230 VAC - 50/60 Hz*

TYPICAL APPLICATIONS

• Conveyors • Packaging Machines • Feeders


• Feeders • Printing Equipment



KBCC-255

5HP

Chassis Mount
Variable Speed DC Motor Control
Shunt Wound and PM Motors



KBIC®

Variable Speed DC Motor Control
For Shunt Wound and PM Motors

1/100 - 1 1/4 hp @ 115 VAC - 50/60 Hz*

1/50 - 3 hp @ 230 VAC - 50/60 Hz*


TYPICAL APPLICATIONS

• Conveyors • Packaging Machines • Feeders

• Washing Positioners • Pumps

• Machine Tools • Exercise Equipment

• Screening and Printing Equipment





KBPC-240D (White)-



AC ELECTRIC MOTOR

Medium voltage motor



KBMD 240 D



KBWM 240

CONTROLLER FOR DC MOTOR KBW



KBIC 240



ac motor